## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

## Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:



## Safety

| | | | |
|---|---|---|---|
| Pass<br>Pesticides | Pass<br>Microbials | Pass<br>Mycotoxins | Pass<br>Water Activity |
| Not Tested<br>Solvents | Pass<br>Metals | Not Tested<br>Foreign Matter | Pass<br>Moisture |

## Cannabinoids

| | | |
|---|---|---|
| 22.51%<br>Total THC | ND<br>Total CBD | 8.5%<br>Moisture |

| Analyte | LOQ | Result | Result |
|---|---|---|---|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | ND | ND |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | ND | ND |
| CBN | 0.2 | ND | ND |
| Δ9-THC | 0.2 | 0.63 | 6.3 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | 24.94 | 249.4 |
| CBCa | 0.2 | ND | ND |
| **Total Cannabinoids** | | **25.58** | **255.78** |

Entered By: VJ, Instrument ID: AL2-004
Method: MTHD-001, Date Tested: 09/17/2026 03:19
Total theoretical THC % = (delta-9- THC%) + (THCA% x 0.877) + (delta-8- THC%) + (delta-10- THC%)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

## Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

## Residual Solvents — Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|

Entered By: , Instrument ID:
Method: , Date Tested:

## Microbials — Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 200000 | Tested |
| Yeast & Mold | 10 | N/A | 400000 | Tested |

Entered By: JK, Aria Instrument ID: M-001; 3M Instrument ID: M-012
Aerobic Date Tested: 09/16/2026 14:43
YM Date Tested: 09/17/2026 14:42 Sal/STEC/Asp Date Tested: 09/16/2026 14:53
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals — Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 110.0000 | <LOQ | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | 10.3686 | Pass |
| Arsenic | 0.1000 | 0.2000 | <LOQ | Pass |
| Cadmium | 0.1000 | 0.2000 | <LOQ | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: BW, Instrument ID: AL2-001
Method: MTHD-006 Date Tested: 09/16/2026 12:46
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins — Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: VJ, Instrument ID: AL1-003
Method: MTHD-009 Date Tested: 09/17/2026 18:32



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

## Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

## Terpenes

Complete

| Analyte | LOQ | Result | Result |
|---|---|---|---|
| | % | % | mg/g |
| β-Caryophyllene | 0.0125 | 0.17 | 1.66 |
| Linalool | 0.0125 | 0.06 | 0.64 |
| α-Humulene | 0.0125 | 0.06 | 0.55 |
| α-Bisabolol | 0.0125 | 0.04 | 0.45 |
| Limonene | 0.0125 | 0.04 | 0.42 |
| Terpineol | 0.0125 | 0.03 | 0.30 |
| α-Phellandrene | 0.0125 | ND | ND |
| α-Pinene | 0.0125 | <LOQ | <LOQ |
| α-Terpinene | 0.0125 | ND | ND |
| β-Myrcene | 0.0125 | <LOQ | <LOQ |
| β-Pinene | 0.0125 | <LOQ | <LOQ |
| Camphene | 0.0125 | <LOQ | <LOQ |
| Caryophyllene Oxide | 0.0125 | ND | ND |
| Farnesene | 0.0125 | ND | ND |
| Fenchol | 0.0125 | ND | ND |
| Geraniol | 0.0125 | ND | ND |
| Guaiol | 0.0125 | ND | ND |
| Ocimene | 0.0125 | ND | ND |
| Terpinolene | 0.0125 | <LOQ | <LOQ |
| Valencene | 0.0125 | ND | ND |

## Primary Aromas

- Cinnamon
- Lavender
- Hops
- Chamomile
- Orange

**0.4019%**
Total Terpenes

Entered By: VJ, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 09/17/2026 5:38


All Rights Reserved


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.10 | 1.00 | ND | Pass |
| Chlormequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: VJ, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 09/16/2026 21:55
LC Method: MTHD-009 LC Date Tested: 09/17/2026 18:32
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported


All Rights Reserved


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoxazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Flonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Mevinphos | 0.05 | 1.00 | ND | Pass |

Entered By: VJ, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 09/16/2026 21:55
LC Method: MTHD-009 LC Date Tested: 09/17/2026 18:32
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk
Plant, Preroll, Greenhouse
Parent Lot:

## Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | PPM | PPM | PPM | |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Parathion Methyl | 0.10 | 0.20 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: VJ, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 09/16/2026 21:55
LC Method: MTHD-009 LC Date Tested: 09/17/2026 18:32
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

## Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|---|---|---|---|---|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: VJ, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 09/16/2026 21:55
LC Method: MTHD-009 LC Date Tested: 09/17/2026 18:32
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011

Daniel Roettger
Laboratory Director

PJLA Testing
Accreditation #121209

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

## Sample: 2609RLI0984-5029

Strain: Lake Effect Chem
Batch#: PR5-LEC-0001; Batch Size: 2400 units
Report Created: 09/22/2026;

### High Peaks | Pre-Roll | Sativa | Lake Effect Chem | 2.5g 5pk

Plant, Preroll, Greenhouse
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/14/26 10:05
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 09/15/2026; 9:37
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 09/15/2026; 11:03
Water Activity Method: MTHD-002

**0.46 aw**
Limit: 0.65 aw
*Pass*
Water Activity

**8.5%**
Limit: 15.0 %
*Pass*
Moisture

### Foreign Matter

Foreign Matter Method:
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---|---|---|---|
| | % | | |
| | % | | |
| | % | | |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011

Daniel Roettger
Laboratory Director

PJLA Testing
Accreditation #121209

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.